

MAG SILK 7000 SAE 40
GASOLINE ENGINE OIL

SILK 7000 SAE 40 is a monograde gasoline and diesel engine oil, manufactured from a high quality of base oil and selected additives to give good engine protection. It has formulated for mild conditions, it has the anti-wear, anti-corrosion, anti-rust and anti-oxidant properties.

Features & Benefits

1. Good thermal stability.
2. Good lubrication in all seasons.
3. Superior lubrication to reduce friction and has anti-wear, anti-corrosion properties.
4. Keep engine clean and cool, it is designed for high temperature weather.

Specification

Performance Level API: SJ

Application Of Use

SILK 7000 SAE 40 is recommended for use in gasoline and diesel engines, for light buses and vans which are operating tough service conditions in the city and high ways.

Physical Characteristics	Test Method	Typical Value
SAE Grade		40
Density @ 15°C, Kg/L	ASTM D-1298	0.89
Kinematic Viscosity, cSt		
AT 40 °C	ASTM D-445	134
AT 100 °C	ASTM D-445	14
Viscosity Index	ASTM D-2270	105
Flash Point, COC, °C	ASTM D-92	250
Pour Point, °C	ASTM D-97	-15
TBN, mg KOH/g	ASTM D-2896	6

Note: All figures may vary slightly.

No. 01. Feb. 2014